LITERATURE CITED

Abella, S.R., J.F. Jaeger, and L.G. Brewer. 2004. Fifteen years of plant community dynamics during a northwestern Ohio oak savanna restoration. *The Michigan Botanist* 43(2): 117-127.

Abella, S.R., J.F. Jaeger, and T.A. Schetter. 2007. Public land acquisition and ecological restoration: an example from northwest Ohio's Oak Openings Region. *Natural Areas Journal* 27(1): 92-96.

Adams, R.A., Jr., S. Allen, T. Bassett, T. Benson, L. Brown, C. Causey, M. Evans, M. Faurot, C. Ferguson, R. Klein, T. Mau-Crimmins, K. Miller, T. Moss, D. Powless, M. Richards, J. Schmidt, and J. Simoes. Western Michigan University: Asylum Lake property. Historical uses and land cover, natural features inventory, and habitat enhancement recommendations. Submitted to Western Michigan University, October 2001 (Revised February 2002); 352 pp.

Adams, R.A., Jr., C. Ferguson, S. Knoll, M.E. Miller. 2005. Breeding bird survey of the four-township area, Michigan (Richland and Ross Townships, Kalamazoo County; Barry and Prairieville Townships, Barry County). Report submitted to the Four-Township Water Resources Council by the Kalamazoo Nature Center Research Department, August 2005.

Albert, D.A. 1995. Regional landscape ecosystems of Michigan, Minnesota, and Wisconsin: a working map and classification. Gen. Tech. Rep. NC-178. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. Northern Prairie Wildlife Research Center Home Page. See: http://www.npwrc.usgs.gov/resource/1998/rlandscp/rlandscp.htm (Version 03JUN98).

ALPMC (Asylum Lake Policy and Management Council). 2008. Asylum Lake Management Plan. Unpublished document, 70 pp.

Au, L., D.E. Anderson, and M. Davis. Patterns in bird community structure related to restoration of Minnesota dry oak savannas and across a prairie to oak woodland ecological gradient. *Natural Areas Journal* 28(4): 330-341.

Bacone, J.A., P.E. Rothrock, G. Wilhelm, and T. Post. 2007. Changes in Hoosier Prairie oak savanna during 27 years of prescribed fire management. *Michigan Botanist* 46(3): 65-79. Michigan Botanical Club.

Benson, D., D. DeGraaf, D. Easterday, D. Huis, J. Strally. 1978. The flora and fauna of a wetland area near Kalamazoo, Michigan. Student paper, Western Michigan University Department of Biological Sciences.

Blossey, B., V. Nuzzo, H. Hinz, and E. Gerber. 2001. Developing biological control of Alliaria petiolata (M. Bieb.) Cavara and Grande (garlic mustard). Natural Areas Journal 21:357-367.

Bowles, M, J. McBride, N. Stoynoff, and K. Johnson. 1996. Temporal changes in vegetation composition and structure in a fire-managed prairie fen. *Natural Areas Journal* 16(4): 275-288.

Bonney, R., D.N. Pashley, R.J. Cooper, R.J. L. Niles, eds. 2000. Strategies for bird conservation: The Partners in Flight planning process; Proceedings of the 3rd Partners in Flight Workshop; 1995 October 1-5; Cape May, NJ. Proceedings RMRS-P-16. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 281 p.

Brewer, L.G. and J.L. Vankat. 2006. Richness and diversity of oak savanna in northwestern Ohio: proximity to possible sources of propagules. *The American Midland Naturalist* 155(1): 1-10.



Brewer, R. 1984. Species composition and diversity of a mesic prairie relict in Kalamazoo County, Michigan. *Michigan Botanist* 23():143-151.

and S. Kitler. 1989. Tree distribution in southwestern Michigan oak openings. *Michigan Botanist* 28():73-79.

Brudvig, L.A. and H. Asbjornsen. 2005. Oak regeneration before and after initiral restoration efforts in a tall grass oak savanna. *The American Midland Naturalist* 153:180-186.

Chapman, K.A. and R. Brewer. 2008. Prairie and savanna in southern lower Michigan: history, classification, ecology. *Michigan Botanist* 47(1):1-48. Michigan Botanical Club.

Cole, K.L. and R.S. Taylor. 1995. Past and current trends of change in a dune prairie/oak savanna reconstructed through a multiple-scale history. *Journal of Vegetation Science* 6:399-410.

Comer, P.J., D.A. Albert, H.A. Wells, B.L. Hart, J.B. Raab, D.L. Price, D.M. Kashia, R.A. Corner and D.W. Schuen (map interpretation); T.R. Leibfreid, M.B. Austin, C.J. Delain, L. Prange-Gregory, L.J. Scrimger and J.G. Spitzley (digital map production). 1995a. *Michigan's Presettlement Vegetation, as Interpreted from the General Land Office Surveys 1816-1856*. Report to the U.S. E.P.A. Water Division and Michigan Department of Natural Resources. The Wildlife Division, Michigan Natural Features Inventory, Lansing, MI. digital map.

Copenheaver, C. A., and Abrams, M. D. 2002. Post European settlement forest changes in Oscoda and Ogemaw Counties, Michigan. *The Michigan Botanist* 41:143-158.

Corbett, and Corbett. 2004. A reanalysis of 1960s Michigan old-field data. The Michigan Botanist 43(1): 41-55.

Cottam, G. 1949. The phytosociology of an oak woods in southwestern Wisconsin. Ecology 30:271-287.

Crimmins, T.M., M. S. Mauzy, and S. E. Studd. 2008. Assessing exotic plant distribution, abundance, and impact at Montezuma Castle and Tuzigoot National Monuments in Arizona. *Ecological Restoration* 26(1): 44-49. University of Wisconsin Press, Madison, WI.

Dorr, J.A., and D.F. Eschman. 1970. Geology of Michigan. University of Michigan Press, Ann Arbor, MI 476 pp.

Engemann, J. G. 1977. Observations on Asylum Lake, Kalamazoo, Michigan. Unpublished report, Department of Biology, Western Michigan University, 11 pp.

Fletcher, J. D., W. J. McShea, L. A. Shipley and D. Shumway. (2001). Use of common forest forbs to measure browsing pressure by white-tailed deer (Odocoileus virginianus Zimmerman) in Virginia, USA. Natural Areas Journal 21(2):172-176.

Grundel, R. and N.B. Pavlovic. 2007. Distinctivenss, use and value of Midwestern oak savannas and woodlands as avian habitats. *The Auk* 124(3): 969-985.

Hartung, S.C. and J.D. Brawn. 2005. Effects of savanna restoration on the foraging ecology of insectivorous songbirds. *The Condor* 107: 879-888.



Herkert, J.R., R.E. Szafoni, V.M. Kleen, J.E. Schwegman. 1993. Habitat establishment, enhancement and management for forest and grassland birds in Illinois. Illinois Department of Conservation; *Natural Heritage Technical Publication #1*. Springfield, Ill.

Hodler, T.W., R. Brewer, L.G. Brewer and H.A. Raup. 1981. Presettlement vegetaion of Kalamazoo County (map). Department of Geography, Western Michigan University, Kalamazoo MI.

Hoffman, M.A. 2008a. The Daniel McMartin homestead: a historical overview including the passage of 1975 Public Act 312. Extract of Master's thesis, Western Michigan University, 32 pp.

Hoffman, M.A. 2008b. Asylum Lake Preserve and Colony Farm Orchard (Western Michigan University). A legislative and decision making timeline for the former Kalamazoo State Hospital properties. Extract of Master's thesis, Western Michigan University, 9 pp.

Hohn, M. 1992. Changing plant communities at a disturbed location: the Asylum Lake property. Student paper, Department of Biological Sciences, Western Michigan University, 8 pp.

Hutchinson, T.F., R.P. Long, R.D. Ford, and E.K. Sutherland. 2008. Fire history and the establishment of oaks and maples in second-growth forests. *Canadian Journal of Forestry Research*, Vol. 38: 1184-1198.

Hutchinson, T.F. and J.L. Vankat. 1998. Landscape structure and spread of the exotic shrubs *Lonicera maackii* (Amur honeysuckle) in southwestern Ohio forests. *The American Midland Naturalist*. 139: 383-390.

Iverson, L.R., A. M. Prasad, T. F. Hutchinson, J. Rebbeck, and D. A. Yaussy. 2004. Fire and thinning in an Ohio oak forest: grid-based analyses of fire behavior, environmental conditions, and tree regeneration across a topographic moisture gradient. *In* Upland oak ecology symposium: history, current conditions, and sustainability. Spetich, Martin A., ed. Gen. Tech. Rep. SRS–73. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 311 p.

Karnitz, H. and H. Asbjornsen. 2006. Composition and age structure of a degraded tallgrass oak savanna in central Iowa. *Natural Areas Journal* 26(2): 179-186.

Keiser and Associates. 2008. Water quality of Asylum Lake and Little Asylum Lake with management recommendations. Submitted to Western Michigan University, Asylum Lake Policy Management Council; 44 pp. + appendices.

Kost, M.A. and D. De Steven. 2000. Plant community responses to prescribed burning in Wisconsin sedge meadows. *Natural Areas Journal* 20(1): 36-45.

Kost, M.A. 2004. Natural community abstract for dry-mesic prairie. Michigan Natural Features Inventory, Lansing, MI. 9 pp.

Kost, M.A., D.A. Albert, J.G. Cohen, B.S. Slaughter, R.K. Schillo, C.R. Weber, and K.A. Chapman. 2007. Natural Communities of Michigan: Classification and Description. Michigan Natural Features Inventory, Report Number 2007-21, Lansing, MI. 314 pp.

Krebs, C.J. 1989. Ecological methodology. New York: Harper Collins Publishers, Inc. 654 pp.



Leach, M. K., and T. J. Givnish. 1999. Gradients in the compositions, structure and diversity of remnant oak savanna in southern Wisconsin. *Ecological Monographs* 69:353-374.

Lee, J.G. and M.A. Kost. 2008. Systematic evaluation of oak regeneration in lower Michigan. Report to the Michigan Department of Natural Resources Wildlife Division. Report Number 2008-13. Michigan Natural Features Inventory, Lansing, MI. 127 pp + appendices.

McClain, W.E., V.L. LaGeese, J.E. Ebinger. 2006. Dynamics of species composition and importance from 1965-1988 in Baber Woods Nature Preserve, Edgar County, Illinois: evidence of the effects of fire suppression. *Castanea* 71(4): 312-320.

McEwan, R.W., T.F. Hutchinson, R.P. Long, D.R. Ford, and B.C. McCarthy. 2007. Temporal and spatial patterns in fire occurrence during the establishment of mixed-oak forests in eastern North America. *Journal of Vegetation Science* 18: 655-664.

McIntosh, R. P. 1957. The York woods, a case history of forest succession in southern Wisconsin. *Ecology* 38 (1): 29-37.

McKenna, D. 2004. Flora and vegetation of Kalamazoo County, Michigan. The Michigan Botanist 43(3): 137-359.

Meints, G. M. 2005. The Fruit Belt Line: Southwest Michigan's failed railroad. *Michigan Historical Review* 31(2): 117-138.

MNFI (Michigan Natural Features Inventory). 2009a. Michigan's special animals: endangered, threatened, special concern, and probably extirpated. Updated May 21, 2009. Accessed online, June 2009, at http://web4.msue.msu.edu/mnfi/data/special animals list.pdf.

MNFI (Michigan Natural Features Inventory). 2009b. Biotics Database. Michigan Natural Features Inventory, Lansing, MI. Accessed online, July 2009, at http://web4.msue.msu.edu/mnfi/search.

MNDNR (Minnesota Department of Natural Resources). 2003. Minnesota's Native Plant Community Classification (Version 2.0). Minnesota Department of Natural Resources, Natural Heritage Program. St. Paul, MN. Accessed online, January 2009, at http://www.dnr.state.mn.us/npc/index.html.

Nielsen, S., C. Kirschbaum, and A. Haney. 2003. Restoration of midwest oak barrens: structural manipulation or process-only? *Conservation Ecology* 7(2): 10. [online] URL: http://www.consecol.org/vol7/iss2/art10/

NAWMA (North American Weed Management Association). 2002. North American invasive plant mapping standards.

http://www.nawma.org/documents/Mapping % 20 Standards/Invasive % 20 Plant % 20 Mapping % 20 Standards.pdf.

Nowacki, G.J. and M.A Abrams. 2008. The demise of fire and "mesophication" of forests in the eastern United States. *BioScience* 58(2): 123-138.

Nur, N., S. L. Jones, and G. R. Geupel. 1999. A statistical guide to data analysis of avian monitoring programs. Biological Technical Publication BTP-R6001-1999. Fish and Wildlife Service, U.S. Department of the Interior.

Nuzzo, V. 1986. Extent and status of Midwest oak savanna: presettlement and 1985. *Natural Areas Journal* 6(2): 6-36.



O'Connor, R. 2006. A land managers guide to prairies and savannas in Michigan: history, classification, and management. Michigan Natural Features Inventory, Lansing, MI. 58 pp. Prepared for Michigan DNR Wildlife Division Landowner Incentive Program. MNFI Report Number 2006-18.

Pavlovic, N.B., R. Grundel, and W. Sluis. 2006. Groundlayer vegetation gradients across oak woodland canopy gaps. *Journal of the Torrey Botanical Society* 133(2): 225-239.

Peterson, D.W., P.B. Reich, and K.J. Wrage. 2007. Plant functional group responses to fire frequency and tree canopy cover gradients in oak savannas and woodlands. *Journal of Vegetation Science* 18: 3-12.

Pierce, A.R., G. Parker, and K. Rabenbold. 2006. Forest succession in an oak-hickory dominated stand during a 40-year period at the Ross Biological Reserve, Indiana. *Natural Areas Journal* 26(4): 351-359.

Ribic, C.A., R.R. Koford, J.R. Herkert, D.H. Johnson, N.D. Niemuth, D.E. Naugle, K.K. Bakker, D.W. Sample, and R.B. Renfrew. 2009. Area sensitivity in North American grassland birds: patterns and processes. *The Auk* 126(2): 233-244.

Ruhren, S. and S. N. Handel. 2000. Considering herbivory, reproduction, and gender when monitoring plants: a case study of Jack-in-the-pulpit (Arisaema triphyllum [L.] Schott). *Natural Areas Journal* 20:261-266.

Scott, J.A. 1976. Asylum marsh study. Student paper, Department of Biology, Western Michigan University, 6 pp.

Seltzner, S. And T.L. Eddy. 2003. Allelopathy in *Rhamnus cathartica*, European buckthorn. *The Michigan Botanist* 42(2): 51-60.

Stan, A.B., L.S. Rigg, and L.S. Jones. 2006. Dynamics of a managed oak woodland in northeastern Illinois. *Natural Areas Journal* 26(2): 187-197.

Sutherland, E.K. and T.F. Hutchinson. 2000. The restoration of oak-hickory forests in the central hardwoods: results of a landscape-scale prescribed burning experiment in Ohio. *In* The role of fire in nongame wildlife management and community restoration: Traditional uses and new directions. Proceedings of a special workshop, Nashville, Tennessee, September 15, 2000. USDA Forest Service General Technical Report NE-288, 145 pp. *Ed.* by W.M. Ford, K.E. Russell, and C.E. Moorsman.

Sutherland, E.K. and T.F. Hutchinson, eds. 2003. Characteristics of mixed-oak forest ecosystems in southern Ohio prior to the reintroduction of fire. USDA Forest Service, General Technical Report NE-299, 159 pp.

Stohlgren, T.J., M.B. Flakner and L. D. Schell. 1995. A Modified-Whittaker nested vegetation sampling method. *Vegetatio* 117:113-121.

Stohlgren, T.J., D.T. Barnett, and S.E. Simonson. N.D. Beyond North American Weed Management Association standards. Accessed online, April 2008, at http://www.nawma.org/documents/Mapping%20Standards/BEYOND%20NAWMA%20STANDARDS.pdf



Swanson, D. 1996. Nesting ecology and nesting habitat requirements of Ohio's grassland-nesting birds: a literature review. United States Geological Survey, Northern Prairie Wildlife Research Center. Accessed online, August 2009, at: http://www.npwrc.usgs.gov/resource/birds/ohionest/index.htm

Taft, J.B., C. Hauser, and K.R. Robertson. 2006. Estimating floristic integrity in tallgrass prairie. *Biological Conservation* 131: 42-51.

Tallamy, D. W. 2007. Bringing nature home: how native plants sustain wildlife in our gardens. Published by Timber Press, Portland, OR. 288 pp.

Tyrell, C.D. 2003. Twenty-five years of change in a dry-mesic forest of Southeastern Wisconsin. *The Michigan Botanist* 42(2): 95-103.

USDA-NRCS (United States Department of Agriculture-Natural Resource Conservation Service). 2009. Web Soil Survey. Accessed online in February 2009 at: http://websoilsurvey.nrcs.usda.gov/app/HomePage.htm.

Vickery, P.D., J.R. Herkert, F.L. Knopf, J. Ruth and C.E. Keller. 2009. Grassland birds: an overview of threats and recommended management strategies. Accessed online, August 2009, at: http://www.birds.cornell.edu/pifcapemay/vickery.htm.

Voss, E.G. 1985. Michigan Flora Part 2 Dicots. Cranbrook Institute Science Bulletin 59 and The University of Michigan Herbarium.

Waller, D. M. and W. S. Alverson. (1997). The white-tailed deer: a keystone herbivore. Wildlife Society Bulletin 25(2): 217-226.

Webster, C. R., M. A. Jenkins, G. R. Parker. (2001). A field test of herbaceous plant indicators of deer browsing intensity in mesic hardwood forests of Indiana, USA. Natural Areas Journal 21:149-158.

Werner, K.J. and J.B. Zedler. 2002. How sedge meadow soils, microtopography, and soils respond to sedimentation. *Wetlands* 22(3): 451-466.

Wilhelm, G. and L. Masters. (1999). Floristic Quality Assessment Computer Programs. Version 1.0, December 1999. Conservation Research Institute, Elmhurst, IL.

WDNR (Wisconsin Department of Natural Resources). 2009. WDNR – Natural Communities of Wisconsin. Accessed online, January2009, at: http://dnr.wi.gov/org/land/er/communities/index.asp?mode=detail&Code=CTFOR010WI.

Wolf, J. 2004. A 200-year fire history in a remnant oak savanna in southeastern Wisconsin. *The American Midland Naturalist* 152: 201-213.

